

# Certificate of Flame Resistance

REGISTERED  
APPLICATION  
CONCERN NO.

CAL COMB F-419.01

AZTEC TENTS  
2665 COLUMBIA ST  
TORRANCE, CA 90503  
(800)228-3687

Date treated or  
manufactured

02/2014

This is to certify that the materials described below hereof have been flame retardant treated (or are inherently nonflammable).

FOR

**ALEXANDER TENT-DALLAS**  
11035 INDIAN TRAIL  
DALLAS, TX 75229



**Certification is hereby made that: (check "a" or "b")**

- (a) The articles described below this certificate have been treated with a flame retardant chemical approved and registered by the State Fire Marshal and that the application of said chemical was done in conformance with the laws of the State of California and the Rules and Regulations of the State Fire Marshal. Name of chemical used ..... Chem. Reg. No. ....  
Method of application .....



- (b) The articles described below hereof are made from a flame -resistant fabric or material registered and approved by the State Fire Marshal for such use; Fabric has been tested and passes NFPA701-96. Trade name of flame-resistant fabric or material used.. *Laminated Fabric* . Reg. No. ....*F-419.01*.....

The Flame Retardant Process Used WILL NOT Be Removed by Washing  
(will or will not)

David Bradley

Chuck Miller - President

Name of Applicator or Production Superintendent

Title

CUSTOMER ORDER NO. R179276

ITEMS MANUFACTURED:

The above fabric was used in manufacturing one Blue and White 20'x30' tent.